

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	30	RNDIS and @ad<"20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 15:50
S4	4	@ad<"20031113" and (CDC near2 Ethernet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 15:52
S5	1	@ad<"20031113" and (CDC near2 Ethernet) and RNDIS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 15:52
S6	35	@ad<"20031113" and ("universal serial bus" or USB) and configuration and "network adaptor" and request and host	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 17:00
S7	39	@ad<"20031113" and ("universal serial bus" or USB) and configuration and "network adaptor" and host	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 18:44
S8	10249	@ad<"20031113" and ("universal serial bus" or USB) and configuration and host	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 18:45
S9	78	@ad<"20031113" and ("universal serial bus" or USB) and ("multiple configuration") and determine and host	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 18:45
S10	19	@ad<"20031113" and ("universal serial bus" or USB) and ("multiple configuration") and (host near7 determine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 18:50

S11	31	@ad<"20031113" and ("universal serial bus" or USB) and ("multiple configuration") and ((host or server) near7 determine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 18:55
S12	53	@ad<"20031113" and ("universal serial bus" or USB) and ("sends configuration") and ((host or server) near7 determine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 18:58
S13	1	@ad<"20031113" and ("universal serial bus" or USB) and ("sends configuration") and ((host or server) near7 "network adaptor")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 19:14
S14	1	@ad<"20031113" and ("universal serial bus" or USB) and ("sends configuration" or "send configuration") and ((host or server) near7 "network adaptor")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 19:17
S15	1	@ad<"20031113" and ("universal serial bus" or USB) and ("sends configuration" or "send configuration") and ((host or server) with "network adaptor")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 19:17
S16	2	@ad<"20031113" and ("sends configuration" or "send configuration") and ((host or server) with "network adaptor")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 19:17
S17	2	@ad<"20031113" and ("sends configuration" or "send configuration") with (host or server)) and "network adaptor"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 19:21
S18	8	@ad<"20031113" and ("sends configuration" or "send configuration") and (host or server)) and "network adaptor"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 19:22

S20	10	@ad<"20031113" and ("network adaptor" with determine) and active	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 19:29
S23	2	@ad<"20031113" and (((receive adj2 request) and from) and (host or server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 10:02
S25	145028	@ad<"20031113" and receive and request and (host or server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 10:06
S26	933	@ad<"20031113" and receive and request and (host or server) and 709/250.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 10:06
S27	676	@ad<"20031113" and receive and request and (host or server) and 709/250.ccls. and configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 10:07
S28	8	@ad<"20031113" and receive and request and (host or server) and 709/250.ccls. and "sends configuration"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 10:07
S29	274	@ad<"20031113" and receive and request and (host or server) and "709"/.ccls. and "sends configuration"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 10:08
S30	11	@ad<"20031113" and receive and request and (host or server) and "709"/.ccls. and "sends configuration" and "multiple configuration"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 10:09

S32	5	@ad<"20031113" and receive and request and (host or server) and "709"/.ccls. and "sends configuration" and "network adaptor"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 10:52
S33	5	@ad<"20031113" and ("universal serial bus" or USB) and ("sends configuration") and ((host or server) near7 determine) and (parse or parsing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 18:42
S34	438	@ad<"20031113" and ("universal serial bus" or USB) and ((host or server) near7 determine) and (parse or parsing) and select	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 19:34
S35	403	@ad<"20031113" and ("universal serial bus" or USB) and ((host or server) near7 determine) and (parse or parsing) and select and configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 19:34
S39	120	@ad<"20031113" and ("universal serial bus" or USB) and (host or server) and ((parse or parsing) adj4 determine) and select and configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 19:37
S40	99	@ad<"20021113" and ("universal serial bus" or USB) and (host or server) and ((parse or parsing) adj4 determine) and select and configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 19:37
S41	1	@ad<"20021113" and ("universal serial bus" or USB) and (host or server) and (((parse or parsing) adj4 determine) adj4 configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 19:43
S42	1	@ad<"20031113" and ("universal serial bus" or USB) and (host or server) and (((parse or parsing) adj4 determine) adj4 configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 19:43

S43	2	@ad<"20031113" and ("universal serial bus" or USB) and (host or server) and ((parse or parsing) adj4 determine) and configuration and (RNDIS or NDIS or CDC-Ethernet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 19:46
S45	1	@ad<"20031113" and ("universal serial bus" or USB) and (host or server) and (("network adaptor" or "network adapter") adj7 active)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/04 11:03
S46	33	@ad<"20031113" and (host or server) and (("network adaptor" or "network adapter") adj7 active)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/04 11:05
S47	2	"6681244".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/04 12:49
S49	2	"20060039290"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/04 12:57
S50	113	@ad<"20031113" and (("network adaptor" or "network adapter") adj4 ("enable" or "disable" or "activate"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 10:03
S51	1	"60426349"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 12:46
S54	26	@ad<"20021115" and rndis	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 14:33

S56	79	@ad<"20021115" and odc and ethernet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 14:33
S59	25	@ad<"20021115" and belcarra	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 14:34
S61	181	odc and ethernet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 16:19
S62	3	odc and ethernet and rndis	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 16:19
S64	79	@ad<"20021115" and odc and ethernet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 17:43
S65	32	@ad<"20021115" and odc and ethernet and network and (adapter or adaptor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 17:45
S66	2	"6532497".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 20:29
S67	1389	@ad<"20021115" and ((adapter or adaptor) with (activate or disable))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 20:45

S68	6	@ad<"20021115" and (network adj2 ((adapter or adaptor) with (activate or disable)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 20:45
S69	17	@ad<"20021115" and "network adapter" and "multiple configurations"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/08 15:01
S70	127	@ad<"20021115" and "network adapter" and "multiple protocols"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/08 15:01
S71	144	S69 or S70	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/08 15:02
S72	46	@ad<"20021115" and "automatic configuration" and "network adapter"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/08 17:26
S74	75	"08/942311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/08 18:18
S77	2	"6170028".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/08 18:32

1/9/2008 6:37:23 PM

C:\Documents and Settings\rkeehn\My Documents\EAST\Workspaces\10705909.wsp